

T 5 S - R 1 W 2nd Mer.

[illegible]

T6S—R1W. 2nd Mer.

6	152	5	152	4
152		153		154
7	153	8	154	9
153		153		154
18	155	17	154	16
155		155		156
19	156	20	156	21
156		157		157
30	159	29	158	28
158		158		159
31	159	32	159	33
151		151		151

Ohio R.

159

152

Meander 148

Meander 160

Township N^o 6 South of Range N^o 1 West 2nd Mer.

South Boundary

East	Between Sec. 31, T. 6, S. R. 1, W. 4 Sec. 6, T. 7, S. R. 1, W.
17. 25	B. Oak 20 in ^d diam ^r .
31. 00	Road leading N. W. from S.
40. 00	Put Quarter Sec post where a B. Oak 14 in ^d diam ^r bears N. 21. E. 32 links a W. Oak 28 in ^d diam ^r bears S. 22. W. 27 links
53. 75	W. Oak 18 in ^d diam ^r .
71. 00	B. Oak 20 in ^d diam ^r .
79. 60	Intersects N. 4 S. line 10 links N. of Temporary post - put post corner of Sec. 31 & 32 T. 6, S. R. 1, W. 4 corner of Sec. 5 & 6, T. 7, S. R. 1, W. where a Hickory 8 in ^d diam ^r bears S. 69. E. 49 links - a W. Oak 26 in ^d diam ^r bears S. 3. W. 44 links. - This mile meeting soil timber, W. & B. Oak, some Birch, Poplar, & W. Ash, &c.

East	Between Sec. 32, T. 6, S. R. 1, W. 4 Sec. 5, T. 7, S. R. 1, W.
24. 20	Poplar 70 in ^d diam ^r .
30. 50	Run 50 links wide Course S.
41. 00	Put Quarter Sec post where a Mulberry 12 in ^d diam ^r bears S. 9. E. 15 links a Birch 20 in ^d diam ^r bears N. 44. W. 20.
52. 45	Poplar 40 in ^d diam ^r .
79. 80	Intersects N. 4 S. line 6 links S. of Temporary post - put post corner of Sec. 32 & 33, T. 6, S. R. 1, W. 4 Sec. 4 & 5, T. 7, S. R. 1, W. where a Birch 14 in ^d diam ^r bears S. 20. W. 99 links L. 18 in ^d diam ^r bears N. 66. E. 36 links. This mile good soil timber Birch & Poplar some W. & B. Oak. G. 22 nd 13.05

East	Between Sec. 33, T. 6, S. R. 1, W. 4 Sec. 4, T. 7, S. R. 1, W.
3. 36	Birch 30 in ^d diam ^r .
40. 00	Put Quarter Sec post, where a Sugar, 5 in ^d diam ^r bears S. 29. E. 15 links a Birch 8 in ^d diam ^r bears N. 1. W. 35 links due
74. 00	Run 6 links wide, Course S.
80. 00	Put post corner of Sec. 33 & 34, T. 6, S. R. 1, W. and corner of Sec. 3, 4, T. 7, S. R. 1, W. where a Birch 14 in ^d diam ^r bears N. 32. W. 12 links Birch 20 in ^d S. 28. E. 65 links This mile good soil - timber - Birch, W. & B. Oak, some Poplar.

T. No. 6. S. R. No. 1. W. 2nd. Mer.

East Between Sec 3 & 4. T. 6. S. R. 1. W. 2. Sec 3. T. 7. S. R. 1. W.
 12. 10 To Ohio Bottom
 17. 92 Bank of the Ohio. Put post corner of Sec. 34. T. 6. S.
 R. 1. W. 2. Sec 3. T. 7. S. R. 1. W. where a Birch 50 in.
 diam. bears N. 35. E. 5 links. S. 50 in. diam. S. 6. W. 51 links.
 This distance good soil.

Subdivisions.

South Between Sec. 4 & 5. T. 6. S. R. 1. W.
 18. 60 W. Oak 18 in. diam.
 36. 00 Run 10 links wide, Course N. E.
 40. 00 Put Quarter Sec. post where a Birch 10 in. diam. bears
 N. 57. E. 30 links. Birch 18 in. diam. bears S. 50 W. 41 links,
 67. 00 Run 6 links wide, Course N. E.
 78. 50 Birch 30 in. diam.
 80. 00 Put Temporary post. This mile good soil - Timber,
 Birch, some W. & B. Oak.

South Between Sec. 5 & 6. T. 6. S. R. 1. W.
 40. 00 Put Quarter Sec. post where a B. Oak 30 in. diam. bears N. 46
 W. 38 links. S. 8 in. diam. bears S. 42. E. 10 links.
 46. 20 W. Oak 18 in. diam.
 49. 50 Run 3 links wide Course S. W.
 50. 00 Put Temporary post. This mile low ridges - Timber W. &
 B. Oak Poplar &c. middling Soil.

East Between Sec. 6 & 7. T. 6. S. R. 1. W.
 23. 10 W. Oak. 30 in. diam.
 40. 00 Put Quarter Sec. post where a W. Oak 18 in. diam. bears S.
 76. W. 14 links. S. 10 in. diam. bears N. 82. E. 41 links
 46. 90 W. Oak 18 in. diam.
 66. 50 Run 12 links wide Course S.
 72. 50 W. Oak 40 in. diam.
 78. 65 Intersects N. & S. line 24 links S. of Temporary post.
 Put post corner of Sec. 5. 6. 7. 8. T. 6. S. R. 1. W. where
 a W. Oak 10 in. diam. bears N. 33. E. 22 links. S. 8 in. diam.

T^o 6. S. R. No. 1. W. 2nd Mer.

bears G. 34. W. 28. links This mile stoney poor soil. W. & B. Oak timber.

South Between Sec? 7. & 8. T. 6. S. R. No. 1. W. 2nd Mer.
 28. 50 Run 6 links wide Course W.
 31. 48 Sugar tree 18 in? diam?
 40. 00 Put Quarter Sec post where a W. Oak, 40 in? diam? bears N. 57. W. 26. links & Birch 5 in? diam? bears G. 38. E. 27 links
 62. 42 W. Oak 18 in? diam?
 80. 00 Put Temporary post. This mile midling soil, - Timber - Birch, W. & B. Oak, Poplar, &c.

East Between Sec? 7. & 18. T. 6. S. R. No. 1. W.
 2. 35 W. Oak 30 in? diam?
 20 00 Run 20 links wide, Course G.
 40. 00 Put Quarter Sec. post where a W. Oak 12 in? diam? bears G. 40. W. 24. links, Sugar 10 in? diam? bears N. 81. E. 30 links
 66 65 B. Oak 20 in? diam?
 79. 40 Intersects N. & S line 3 links G. of Temporary post.
 Put post - Corner to Sec? 7. 8. 17. 18. T. 6. S. R. No. 1. W. where a W. Oak 10 in? diam? bears G. 17. E. 30 links. 20 in? diam? bears N. 45, W. 30, links. This mile midling soil. Timber, W. & B. Oak, some Hickory, &c.

East Between Sec? 8. & 17. T. 6. S. R. No. 1. W. 2nd Mer.
 5. 25 Run 6 links wide, Course G.
 25. 45 W. Oak 14 in? diam?
 40 00 Put Quarter Sec post where a Birch 20 in? diam? bears G. 50. E. 9. links. & W. Oak 14 in? diam? bears N. 39. W. 26.
 50. 00 Bottom on Ohio.
 80 00 Put Temporary post - This mile midling soil. W. & B. Oak,

East Between Sec? 5 & 8. T. 6. S. R. No. 1. W.
 30. 50 Hickory 8 in? diam?
 40. 00 Put Quarter Sec. post where a W. Oak, 14 in? diam? bears N. 55. E. 43 links. 10 in? diam? bears G. 13. links, W. 27.

T. No 6 S. R. No 1. W 2nd Mer.

49. 75	B. Oak 30, in. diam.
79. 40	Intersects A. & G. line 20 links N. of Temporary post Put Post corner of Sec. 8. 9. 4. 5. T. 6. S. R. 1. W. where a Birch 20 in. diam. bears G. 30 W. 63 links L. 16 in. diam. bears A. 38. E. 10 links This mile middle soil - Timber, W. & B. Oak, some Birch, & Poplar, &c.
East	Between Sec. 4. & 9. T. 6. S. R. 1. W.
7. 12	Gum 30 in. diam.
32. 80	Put Post on Bank of the Chic. where a W. Oak 20, in. diam. bears G. 67 W. 29 links. A Sugar 26 in. diam. bears A. 64 W. 55 links. This distance good bottom - Timber. Birch, Sugar, &c.
South	Between Sec. 8. & 9. T. 6. S. R. 1. W.
14. 28	Hickory 30 in. diam.
46. 00	Put Quarter Sec post where a Birch 8 in. diam. bears A. 65. E. 19. lks. An Elm 40 in. diam. bears G. 83. W. 19. lks
49. 80	Elm 60 in. diam.
50. 50	Run 6 links wide, course N. E.
80. 00	Intersects E. & W. line 107 links N. of Temporary post. Put Post corner of Sec. 8. 9. 16. 17. T. 6. S. R. 1. W. where a W. Oak 40 in. diam. bears A. 51. W. 8. links. A Birch 20 in. diam. bears G. 67. E. 54. links. This mile good bottom. - Timber - Birchs, Sugar, Poplar, &c.
East	Between Sec. 9. & 16. T. 6. S. R. 1. W.
7. 05	Poplar 60, in. diam.
20. 50	Pond large to the S.
26. 75	Put Post on Bank of the Chic where a Gycamore 30 in. diam. bears A. 27. E. 38 links L. 28 in. diam. bears G. 23. W. 10. links This distance good bottom - Timber - Birch, Sugar, & some Poplar, &c.
South	Between Sec. 16. & 17. T. 6. S. R. 1. W. 2 nd Mer
2. 22	Birch 30 in. diam.

J. No. 6 J. No. 1. N. 2nd. Mer.

40. 00	Put Quarter Sec post where a Birch 10 in? diam? bears S 77 E. 21. links. L ^o 10 in? diam? bears N. 59. W. 27. lks
49. 48	Birch 30 in? diam?
80. 00	Put Temporary post. This mile good bottom. Timber Birch Poplar

South	Between Sec? 17. & 18. J. 6. J. No. 1. N.
11. 15	Poplar 30 in? diam?
40. 00	Put Quarter Sec post where a Sugar 12 in? diam? bears N. 25. W. 27. links & Birch 18 in? diam? S. 33. E. 49 links
42 50	Run 8 links wide, course S. 20. E.
50. 05	Birch 20 in? diam?
80. 00	Put Temporary post. This mile midling Soil - Timber - Birch, Sugar tree, & some Poplar, &c.

East.	Between Sec? 18. & 19. J. 6. J. No. 1. N.
4. 98	B. Oak 20. in? diam?
18. 30	Poplar 40, in? diam?
29. 00	Run 20. links wide, Course S.
40. 00	Put Quarter Sec post where a Sugar. 14 in? diam? bears N. 42. W. 30. links. L ^o 10 in? diam? bears S. 45. E. 17. links.
79. 60	Intersects N. & S. line 55. links N. of Temporary post. Put Post Corner of Sec? 17. 18. 19. 20. J. 6. J. No. 1. N. Where a W. Oak, 18 in? diam? bears N. 12. E. 23 links. L ^o 16 in? diam? S. 46. W. 48. links. This mile midling Soil. Timber, W. & B. Oak, some Hickory, & Poplar,

East	Between Sec? 17. & 20. J. 6. J. No. 1. N. 2 nd Mer.
14. 80	W. Oak 18. in? diam?
28. 90	Sugar 20. in? diam?
36 00	Run 16 links wide Course S. E.
40. 00	Put Qr. Sec. post. where a Birch, 12. in? diam? bears N. 19. W. 13. links. L ^o 10. in? diam? bears S. 62. E. 34. links. dist?
46 44	W. Oak, 14 in? diam?
54. 98	Birch 30 in? diam?
73. 30	Steep ledge of Rocks
79. 47	Intersects N. & S. Line 68 links N. of Temporary post.

T. No. 6. T. Co. No 1 W. 2nd. Nov.

	Put post Corner of Sec? 16. 17. 20. 21. T. 6. T. Co. 1. W. where a Beech 30 in. diam. bears N. 70. E. 56. links, 2 nd 10 in. diam. bears S. 44. W. 8. links. This mile midling soil, Timber, Beech, W. Oak, Poplar, &c.
East 30. 64	Between Sec? 16. & 21. T. 6. T. Co. 1. W. Bank of the Ohio. Put post Corner of Sec? 16. & 21. T. 6. T. Co. 1. W. where a Hickory 18 in. diam. bears S. 9. W. 28. links. A Beech 18 in. diam. bears N. 20. W. 33. links. This distance good land. Timber - Beech Sugar some Poplar. &c.
South 12. 20 40. 00 48. 55 51. 25 61. 62 80. 00	Between Sec? 20. & 21. T. 6. T. Co. 1. W. Strip ledge of Rocks. Put Gr. Sec Post where a Sugar tree 24 in. diam. bears N. 34. W. 42 links. A Beech 18 in. diam. bears S. 55. E. 28. links. Elm. 40. in. diam. Run 8 links wide, Course S. 20. E. Beech 18 in. diam. Put Temporary post This mile good Soil. - Timber - Beech, Sugar tree, & some Poplar. &c.
South 5. 12 21. 00 40. 00 72. 00 80. 00	Between Sec? 19. & 20. T. 6. T. Co. 1. W. W. Oak 20 in. diam. Elm 20 in. diam. Put Gr. Sec Post where. a Sugar 10 in. diam. bears S. 13. E. 10 links. A Beech 14 in. diam. bears N. 21. W. 15. links. Run 50 links wide Course S. E. Put Temporary post This mile midling Soil - Timber. W. & B. Oak. Beech, & some Sugar. &c.
East 32. 20 40. 00 47. 58 64. 20	Between 19 & 30. T. 6. T. Co. 1. W. W. Oak 40 in. diam. Put Gr. Sec. Post where a W. Oak 10 in. diam. bears N. 47. W. 12. links. A Beech 14 in. diam. bears S. 58. E. 40 links. W. Oak 20 in. diam. Run 10 links wide Course N. E.

J. No. 6. G. Co. No. 1 W. 2nd Mer.

157

79. 10	Intersects N. & S. line 6 links S. of Temporary post. Post past corner of Sec. 19. 20. 29. 30 T. 6. S. R. 1. N. where a W. Oak 24 in. diam. N. 7. E. 21. links a Birch 22 in. diam. bears S. 25. W. 44. links This mile Timber - W. & B. Oak - some Birch, & Poplar.
East	Between Sec. 20. & 29. T. 6. S. R. 1. N.
9. 45	B. Oak 20 in. diam.
16. 50	B. Oak 24 in. diam.
40. 00	Put up. Sec. post where a W. Oak 12 in. diam. N. 5. W. 5 links a W. Oak 12 in. diam. bears S. 66. W. 19. links
45. 30	Hickory 30 in. diam.
62. 65	Birch 40 in. diam.
73. 75	Run 50 links wide, course S.
79. 46	Intersects N. & S. line 16 links S. of Temporary post Put (post corner of Sec. 20. 21. 28. 29. T. 6. S. R. 1. N. where a Birch 40 in. diam. S. 22. W. 26 links N. 28 in. diam. bears N. 67. E. 42 links. This mile Timber, W. & B. Oak, Birch, & middling Soil.
East	Between Sec. 21. & 28. T. 6. S. R. 1. N.
2. 64	Pond course S. E.
10. 50	Acres Pond.
13. 75	Gum tree 20 in. diam.
27. 50	Run 10 links wide course S. E.
30. 82	Bank of the Ohio where a Poplar 54 in. diam. for Sec. Corner This distance good land. Timber, Birch, Poplar, Gum, &c.
South	Between 29. & 30. T. 6. S. R. 1. N.
40. 00	Put up. Sec. post where a B. Oak 20 in. diam. S. 64. E. 26. links a W. Oak 30 in. diam. bears S. 66. W. 70 links
62. 20	W. Oak 30 in. diam.
68. 25	Run 8 links wide, course S.
76. 50	Grass Run, meeting S. E.
80. 00	Put Temporary post This mile middling Soil Timber, W. & B. Oak & some Poplar &c.

T. No 6. S. R. No 1. W. 2nd. Mer.

East	Between Sec? 30. & 31. T. 6. S. R. 1. W.
10. 22	Beech 18 in? diam?
17. 00	Run 20 links wide Course S. E.
40. 00	Put Quarter Sec post where a W. Oak 12 in? diam? bears S. 82. E. 29. links & a W. Oak 18 in? diam? N. 57. W. 40.
50. 85	Hickory 18 in? diam?
66. 52	B. Oak 30 in? diam?
79. 18	Intersects N. & S. Line 21 links S. of Temporary post. Put post - corner of Sec? 29. 30. 31. 32. T. 6. S. R. 1. W. where a B. Oak 12 in? diam? bears N. 34. E. 21. links, a W. Oak 18 in? diam? bears S. 44. W. 6. links. This mile good soil - Timber - W. & B. Oak some Pepper Beech & Spruce undergrowth.
East	Between Sec? 29. & 31. T. 6. S. R. 1. W.
2. 50	Run 12 links wide Course S.
4. 36	W. Oak 20 in? diam?
25. 56	W. Oak 16 in? diam?
40. 00	Put Quarter Sec post where a B. madroast 10 in? diam? bears S. 7. W. 15 links. a W. Oak 30 in? diam? N. 72. W. 45 links
61. 54	B. Oak 18 in? diam?
80. 00	Put Temporary post. This mile poor soil - Timber - W. & B. Oak.
South	Between Sec? 28. & 29. T. 6. S. R. 1. W.
4. 45	Beech 30 in? diam?
10. 00	Run 60 links wide Course E.
21. 76	Honey locust 18 in? diam?
30. 15	Beech 30 in? diam?
40. 00	Put 1/2 Sec post where a Beech 26 in? diam? bears N. 77. E. 23. links. A 10 in? diam? bears S. 83. W. 32. links
50. 56	Gum tree 18 in? diam?
55. 00	Ridge of rocks across bottom
80. 42	Intersects E. & W. line 23 link E. of Temporary post. Put Post corner of Sec? 28. 29. 32. & 33. T. 6. S. R. 1. W. where a B. Oak 16 in? diam? bears N. 9. W. 13 links a B. Oak 18 in? diam? bears S. 4. E. 19. links. This mile first 5/8 chains good land last part poor ridge.

J. N. S. G. R. No 1. W. 2nd Mer.

East	Between Sec. 28. & 33. T. 6. S. R. 1. W.
15. 90	Beech 20 in. diam.
22. 00	Run 6 links wide, Course S.
40. 00	Put Quarter Sec. post where a W. Oak 30 in. diam. bears N. 76. E. 22 links. an Elm 40 in. diam. bears S. 15 E. 49 links.
45. 77	Bank of the Ohio - Put post corner of Sec. 28. & 35. T. 6. S. R. 1. W. where a Beech 12 in. diam. bears S. 10. W. 21 links. a 18 in. diam. bears N. 32. W. 21 links. This distance good land - Timber - Beech, Sugar tree & some Poplar, &c.
South	Between Sec. 32 & 33. T. 6. S. R. 1. W.
28. 42	B. Oak 20 in. diam.
31. 00	Run 8 links wide, Course W.
40. 00	Put 1/4 Sec. post where a Poplar 40 in. diam. bears N. 67. W. 11 links. a Beech 12 in. diam. S. 38. E. 19 links.
43. 50	Run 6 links wide, Course W.
80. 00	Put Temporary post. This mile middling soil - Timber - W. Oak. Beech. some Poplar &c.
South	Between Sec. 31. & 32 T. 6. S. R. 1. W.
8. 20	B. Oak 30 in. diam.
21. 50	Run 20 links wide, Course S. 20. E.
40. 00	Put 1/4 Sec. post where a Beech 8 in. diam. bears N. 58. W. 22 links, a 14 in. diam. bears S. 79. E. 42 links.
62. 10	Run 20 links wide - Course E.
64. 90	Beech 20 in. diam.
80. 00	Put Temporary post This mile good land - Timber - W. Poplar, & Beech, &c.
South	Between Sec. 33. & 34. T. 6. S. R. 1. W.
27. 50	Ledge of Rocks
31. 00	To Bank of the Ohio Put corner of Sec. 33. & 34. T. 6. S. R. 1. W. a Beech 12 in. diam. bears N. 18. E. 15 links a Sugar tree 18 in. diam. bears S. 11. W. 28 links over Beech ridges.

Meanders of the Ohio in Township N. 6. Range No. 1.

		Township N. 6.
		Commenced at the South East corner of Sec. 1. T. 6. S. R. 1. West.
		Thence Northwardly.
Course	Dist.	Remarks.
East.	30.	
N. 28. W.	5. 82	Corner of Sec 32. & 34. T. 6. S. R. 1. W.
N. 42. W.	15. 50	
N. 42. W.	8. 12	
N. 52. W.	15. 6	
N. 39. W.	6. 14	
N. 25. W.	5. 61	at 2. 50. Run 10 links wide
N. 20. W.	7. 10	
N. 30. W.	5. 00	Corner of Sec 25. & 33. T. 6. S. R. 1. W.
N. 17. W.	9. 50	
N. 21. W.	6. 38	
N. 14. W.	16. 80	
N. 17. W.	7. 47	
N. 21. W.	11. 40	
N. 14. W.	16. 40	at 15. Person Creek 100 links wide.
N. 8. W.	5. 90	
N. 11. E.	5. 24	
N. 1. E.	4. 20	Corner of Sec. 25. & 21. T. 6. S. R. 1. W.
N. 2. W.	26. 60	
N. 3. W.	17. 26	at 13. 50. Run 10 links wide.
N. 4. E.	9. 06	
N. 8. W.	28. 40	Corner of Sec. 16. & 21. T. 6. S. R. 1. W.
N. 2. E.	8. 68	
N. 3. W.	12. 68	
N. 10. W.	15. 29	
North.	19. 56	
N. 5. W.	24. 00	Corner of Sec. 9. & 16. T. 6. S. R. 1. W.
North.	12. 50	
N. 8. W.	35. 16	
North.	4. 63	
N. 4. E.	9. 11	
N. 8. E.		
N. 17. E.	7. 50	Corner of Sec. 4. & 9. T. 6. S. R. 1. W.

T. 6 S., R. 1 W. 2^d Mer. Ind.

North 26.66
 N. 5 W. 9.10
 N. 10 W. 9.21 September 24th 18.05. - hill
 North 31.72 at 20. Run 25 links wide
 N. 16 E. 4.61 Between T. 5 & 6. Range 1. W.

Note - For the N & W boundaries - See the S & E boundaries of the Township N & W. of this.

I Certify that the foregoing transcript of field notes of Township N. 6 South, Range N. 1 W. 2^d Mer. Indiana, has been compared with the original notes in this office and found to be correct.

Surveyor General's Office
Cincinnati, Sept. 10. 1839

C. B. Rainey
Cincinnati